


PRODUCT SAFETY DATA SHEET

According to Regulation (EG) No. 1907/2006,
Regulation (EG) No. 1272/2008 and Regulation (EU) 2015/830

 <p>KERAKAOLIN akciová společnost</p>	<p>PRODUCT NAME:</p> <p>MILLED KAOLIN ROKLE</p>	 <p>ISO 9001 ISO 14001 OHSAS 18001 CERTIFIED ZÚS 551/2016</p>
<p>Date of publication: December 1, 2008</p>	<p>Date of printing: October 3, 2017</p>	<p>Date of revision: September 26, 2017</p>
SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY		
<p>1.1 Product identifier: CAS number: EG number (EINECS): REACH Registration number:</p>	<p>Milled kaolin 1332-58-7 310-194-1 Exempted in accordance with Annex V.7</p>	
<p>1.2 Relevant identified uses of the substance or mixture: Uses advised against:</p>	<p>Rubber industry, paper industry, building industry, chemical industry. There are no uses advised against.</p>	
<p>1.3 Details of the supplier of the safety data sheet: Name: Address: Identification number: Phone: E-mail:</p>	<p>KERAKAOLIN, a.s. Polní 638, 432 01 Kadaň, CZ 22801201 +420 474 611 802 kadan@kerakaolin.cz</p>	
<p>1.4 Emergency telephone number: Toxicology information centre (TIC)</p>	<p>+420 224 919 293, +420 224 915 402 (non-stop)</p>	
SECTION 2: HAZARDS IDENTIFICATION		
<p>2.1 Classification of the substance or mixture:</p> <p>Depending on the handling and use (grinding, drying, bagging), airborne respirable dust may be generated. Dust contains respirable crystalline silica. Prolonged and or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimize or eliminate dust generation.</p> <p>The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by the SWERF method. The respirable crystalline silica content can be measured using the "Size-Weighted Respirable Fraction – SWERF" method. All details about the SWERF method is available at www.crystallinesilica.eu.</p> <p>Regulation EC 1907/2006 (REACH) Regulation EC 1272/2008 (CLP)</p>	<p>Not classified – is not hazardous substance. Doesn't meet the criteria for classification.</p>	
<p>2.2 Label elements:</p>	<p>Not applicable – not required.</p>	
<p>2.3 Other hazards: Inorganic material of natural origin. The substance does not meet the criteria for PBT or vPvB substance. No other hazards identified. The most severe adverse reactions to human health when using the material/preparation: None were observed. The most severe adverse reaction to the environment when using the material/preparation: None were observed.</p>		

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:

Kaolin is a UVCB substance (substances of Unknown or Variable composition, Complex reaction products or Biological materials). Composition entirely from natural minerals without any chemical additives. Kaolin is a fine light coloured or white earth with high contents of clay minerals, namely of kaolinit. Apart from kaolinit it contains always flint, mica, feldspars, other clay minerals and other matters based on the character of the mother earth.

3.2 General component:

CAS number:	Kaolin
EG number (EINECS):	1332-58-7
Content (%)	310-194-1
	Approx. 99 %

3.3 Content of hazardous substances:

Not known. Contains less than 1% of respirable crystalline silica.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

General advice:

Material hygienically unobjectionable, with hyperirritability of mucosa.

Following inhalation:

Leave the dusty room.

Following skin contact:

Wash out skin with soap and water.

Following eye contact:

Wash out with lukewarm water, should the problems last, seek medical advice.

Following ingestion:

Wash out the mouth, drink a considerable volume of water, do not provoke emesis.

4.2 Most important symptoms and effects, both acute and delayed:

The acute symptoms would pain in the eyes because of dust entry. No delayed effects are anticipated if first aid treatment is applied and is effective.

4.3 Indication of any immediate medical attention and special treatment needed:

If health problems occur or in case of doubts, seek medical help and provide information contained in this safety data sheet.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media: No restrictions. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: No restrictions.

5.2 Special hazards arising from the substance or mixture:

The material is not flammable and does not support fire. No hazardous thermal decomposition products.

5.3 Advice for fire fighters:

Avoid generation of dust. Use breathing apparatus. Product on floor when wetted will become slippery and may present a hazard; wear anti-slip boots. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Keep dust levels to a minimum. Keep unprotected persons away. Avoid inhalation of dust and contact with skin, eyes, and clothing – wear suitable protective equipment (see section 8). Take care of wet product on floor, which presents a slip hazard.

6.2 Environmental precaution:

No special requirement.

6.3 Methods and material for containment and cleaning up:

Avoid dust formation (avoid dry sweeping). Remove mechanically dust free (use vacuum suction unit, or shovel into bags) and wash down the surface with water.

6.4 Reference to other sections:

For more information please check sections 7, 8 and 13 of this safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

Protective measures:

Avoid dust generation and contact with eyes. Provide appropriate exhaust ventilation or wear suitable respiratory protective equipment at places where airborne dust is generated. The composition of the mixture ensures the explosion-proofing and incombustibility. Handle packaged products carefully to prevent accidental bursting.

Advice on general occupational hygiene:

Regular cleaning with suitable cleaning devices. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home. No drinking, eating and smoking at the workplace.

7.2 Conditions for safe storage, including any incompatibilities:

Minimize airborne dust generation and prevent wind dispersal during loading and unloading. Keep containers closed and store packaged products so as to prevent accidental bursting. Storage in dry storehouse or shed without direct attack of climatic influence.

7.3 Specific end use(s):

Not relevant.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

According to Government regulation No. 361/2007, and Government regulation No. 93/2012.

Permissible exposure limit (8 hours TWA)	PEL _r (respirable fraction)	PEL _t (total amount)
Other quartzes (with the exception of asbestos)	for $F_r \leq 5\%$ = 2 mg/m ³ for $F_r > 5\%$ = 10:F _r	10 mg/m ³

* F_r – fibrogenetic component contents in respirable fractions

8.2 Exposure controls:

8.2.1 Appropriate engineering controls:

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures e.g. by isolating personnel from dusty areas. Remove and wash soiled clothing

8.2.2 Individual protection measures:

Eye / face protection:

Do not wear contact lenses. If there is an increased risk of eyes contact, use tight fitting goggles with side shields. Ensure accessibility of eyewash equipment and safety showers close to the work place.

Skin and hands protection:

Wear suitable work clothes with long sleeves, gloves. At the end of each work session wash skin with soap and water. Eventually use a greasy cream – the material dries the skin.

Respiratory protection:

Local ventilation to keep levels below established threshold values is recommended. In case of prolonged exposure to airborne dust concentrations, a suitable particle filter mask that complies with the requirements of national legislation is recommended, depending on the expected exposure levels.

8.2.3 Environmental exposure controls:

All ventilation systems should be filtered before discharge to atmosphere. Avoid releasing to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (at 20°C):	Powder
Color:	White
Odour:	No specific smell
pH value:	6 - 8
Melting point:	Not applicable (solid with a melting point > 450 °C)
Boiling point:	Not applicable (solid with a melting point > 450 °C)
Flash point:	Not applicable (solid with a melting point > 450 °C)
Evaporation rate:	Not applicable (solid with a melting point > 450 °C)
Flammability:	Non flammable
Auto ignition temperature:	No relative self-ignition temperature
Explosive limits:	Non explosive
Oxidising properties:	No oxidising properties

Vapour pressure:	Not applicable (solid with a melting point > 450 °C)
Solubility:	Yes
- in water	Not known
- in grease	Not known
Distributing coefficient n-octanol/water:	Not known
SECTION 10: STABILITY AND REACTIVITY	
10.1 Reactivity:	Inert and not reactive material.
10.2 Chemical stability:	The substance is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Slippery when wet. Minimise exposure to air and dust generation.
10.5 Incompatible materials:	Not reactive. Avoid storing together with materials that may be affected by dust.
10.6 Hazardous decomposition products:	Not known.
SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 Information on toxicological effects:	
a) Acute toxicity:	Classification criteria are not met according to available information.
b) Skin corrosion/irritation:	Classification criteria are not met according to available information.
c) Serious eye damage / irritation:	Classification criteria are not met according to available information.
d) Respiratory or skin sensitisation:	Classification criteria are not met according to available information.
e) Germ cell mutagenicity:	Classification criteria are not met according to available information.
f) Carcinogenicity:	Classification criteria are not met according to available information.
g) Toxicity for reproduction:	Classification criteria are not met according to available information.
h) STOT – single exposure:	Classification criteria are not met according to available information.
i) STOT – repeated exposure:	Classification criteria are not met according to available information.
j) Aspiration hazard:	Classification criteria are not met according to available information.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity:	Not relevant.
12.2 Persistence and degradability:	Not relevant.
12.3 Bioaccumulative potential:	Not relevant.
12.4 Mobility in soil:	Not relevant.
12.5 Results of PBT and vPvB assessment:	Not relevant.
12.6 Other adverse effects:	Not relevant.
SECTION 13: DISPOSAL CONSIDERATIONS	
13.1 Waste treatment methods:	The residues/unused product can be disposed in landfills following national and local regulations. Dispose in such a way to avoid dust generation. Where possible, recycling should be preferred to disposal.
Substance / preparation disposal:	Storage category 0.
Contaminated packing disposal:	Secondary utilization, storing, incineration. In all cases dust formation from residues in the packaging should be avoided and suitable protection be assured.

SECTION 14: TRANSPORT INFORMATION

The material is not classified as a dangerous substance and no restrictions apply for land/sea/air transportation. Avoid dust spreading.

14.1 UN number:

Not relevant.

14.2 UN proper shipping name:

Not relevant.

14.3 Transport hazard class(es):

ADR, IMDG, ICAO/IATA, RID – Not classified. Kaolin is not hazardous in the sense of transport regulations. Material is not explosive. Transport in usual covered transport means protected against climatic influences.

14.4 Packing group:

Not applicable.

14.5 Environmental hazards:

Not relevant.

14.6 Special precautions for user:

Avoid any release of dust during transportation. Other safety measures according to Section 6 and 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not regulated.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance:

Regulation (EG) No. 1907/2006, Regulation (EG) No. 1272/2008, Regulation (EU) 2015/830, Government regulation (CZ) No. 361/2007, and Government regulation No. 93/2012.

15.2 Chemical safety assessment:

Kaolin is exempted from REACH registration in accordance with Annex V.7. Kaolin is not hazardous substance and has no restrictions on use. Composition entirely from natural minerals without any chemical additives

SECTION 16: OTHER INFORMATION

16.1 Information about revision of safety data sheet:

Changes in terminology and requirements according to Regulation (EC) 1272/2008 and Regulation (EU) 2015/830.

16.2 Disclaimer:

The data herein correspond to the present state of knowledge and experience and they are in conformity with valid legal enactments. They are not however comprehensive. When mixing with other products, it is to control whether further health and safety risks can not occur. This safety data sheet does not represent a guarantee of product's properties. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. This version of the SDS supersedes all previous versions.

16.3 Abbreviations:

ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road

CLP – Regulation of European parliament and Council for Classification, Labeling and Packaging of chemicals

Fr – Fibrogenetic component contents in respirable fractions

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO/IATA – International Civil Aviation Organization / International Air Transport Association

IMDG – International Maritime Dangerous Goods Code

PBT – Persistent, Bioaccumulative and Toxic substances

PEL_t – Permissible Exposure Limit, total amount

PEL_r – Permissible Exposure Limit, respirable fraction

REACH – EU Regulation about Registration, Evaluation, Authorisation and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SWERF – Size-Weighted Respirable Fraction

TWA – Time-Weighted Average

UN – Numbers that identify hazardous substances, and dangerous articles in the framework of international transport.

UVCB – Substances of Unknown or Variable composition, Complex reaction products or Biological materials

vPvB – very Persistent and very Bioaccumulative substances